

CLAIMS:

1. A hand stamp comprising:
  - a first marking structure having a front surface adapted to print a first ink onto an object, a rear surface and peripheral edges extending between said front and rear surfaces;
  - a second marking structure having a front surface adapted to print a second ink onto an object, a rear surface and peripheral edges extending between said front and rear surfaces of said second marking structure;
  - said first and second marking structures being assembled together so that at least one of said edges of said first marking structure opposes at least one of said edges of said second marking structure, wherein at least one of said opposing edges has a non-porous surface for preventing migration of said first ink of said first marking structure with said second ink of said second marking structure.
2. The hand stamp as claimed in claim 1, wherein said first and second marking structures comprise microporous foam.
3. The hand stamp as claimed in claim 1, wherein said first and second marking structures comprise a mixture of thermoplastic resin and ink.
4. The hand stamp as claimed in claim 1, wherein said first ink has a first color and said second ink has a second color that is different than the first color.
5. The hand stamp as claimed in claim 1, wherein the at least one edge having a non-porous surface is exposed to a light source for forming the non-porous surface.
6. The hand stamp as claimed in claim 1, wherein said first and second marking structures are pre-inked marking structures.
7. A hand stamp comprising:

a first marking structure having a front surface adapted to print ink onto an object, a rear surface and peripheral edges extending between said front and rear surfaces of said first marking structure, wherein at least one of the peripheral edges of said first marking structure has a first pattern;

a second marking structure having a front surface adapted to print ink onto an object, a rear surface and peripheral edges extending between said front and rear surfaces of said second marking structure, wherein at least one of the peripheral edges of said second marking structure has a second pattern that matches the first pattern;

said first and second marking structures being assembled together with the first patterned peripheral edge of said first marking structure interlocking with the second patterned peripheral edge of said second marking structure so that said first and second marking structures can be assembled together in only one configuration.

8. The hand stamp as claimed in claim 1, wherein at least one of the interlocked first and second patterned peripheral edges has a non-porous surface for preventing ink migration between said first and second marking structures.

9. The hand stamp as claimed in claim 7, wherein said first and second marking structures comprise foam.

10. The hand stamp as claimed in claim 7, wherein said first and second marking structures comprise a mixture of thermoplastic resin and ink.

11. The hand stamp as claimed in claim 7, wherein said first marking structure carries an ink of a first color and said second marking structure carries an ink of a second color that is different than the first color.

12. The hand stamp as claimed in claim 7, wherein the at least one edge having a non-porous surface is

exposed to a light source for forming the non-porous surface.

13. The hand stamp as claimed in claim 7, wherein said first and second marking structures are pre-inked marking structures.

14. A hand stamp comprising:

a porous marking structure having a front surface adapted to print ink onto an object, a rear surface and peripheral edges extending between said front and rear surfaces;

said porous marking structure having a first region containing a first ink, a second region containing a second ink and a non-porous border extending through said porous marking structure for preventing said first and second inks from migrating into one another.

15. The hand stamp as claimed in claim 14, wherein said porous marking structure comprises foam.

16. The hand stamp as claimed in claim 14, wherein said porous marking structure comprises a mixture of thermoplastic resin and ink.

17. The hand stamp as claimed in claim 14, wherein said first ink in said first region of said marking structure has a first color and said second ink in said second region of said marking structure has a second color that is different than said first color.

18. The hand-stamp as claimed in claim 14, wherein said porous marking structure is a pre-inked marking structure.